## **CLAIMS**

- 1. A process for enhancing reproductive performance in a companion animal comprising feeding said animal a diet including omega-6 and omega-3 fatty acids, wherein the ratio of said omega-6 fatty acids to said omega-3 fatty acids is from about 3.5:1 to about 12.5:1.
- 2. The process of claim 1 wherein at least 15% of the total fatty acids in said diet are omega-6 fatty acids.
- 3. The process of claim 1 wherein at least 2% of the total fatty acids in said diet are omega-3 fatty acids.
- 4. The process of claim 1 wherein said diet includes, on a dry matter basis, from about 2.5 to 7.5% by weight omega-6 fatty acids and from about 0.3 to 1.5% by weight omega-3 fatty acids.
- 5. The process of claim 1 wherein the ratio of said omega-6 fatty acids to said omega-3 fatty acids is from about 5:1 to about 10:1.
- 6. The process of claim 1 wherein the ratio of said omega-6 fatty acids to said omega-3 fatty acids is from about 5:1 to about 8:1.
- 7. The process of claim 1 wherein said animal is a dog.
- 8. The process of claim 7 wherein said diet comprises, on a dry matter basis, about 22 to 44% by weight protein, and about 10 to 30% by weight fat.
- 9. The process of claim 7 wherein said diet comprises, on a dry matter basis, about 25 to 35% by weight protein, and about 15 to 25% by weight fat.

- 10. The process of claim 1 wherein said animal is a cat.
- 11. The process of claim 10 wherein said diet comprises, on a dry matter basis, about 30 to 45% by weight protein, and about 10 to 30% by weight fat.
- 12. The process of claim 10 wherein said diet comprises, on a dry matter basis, about 32 to 42% by weight protein, and about 15 to 28% by weight fat.
- 13. The process of claim 1 wherein said animal is fed said diet throughout the reproductive process.
- 14. A process for maintaining maternal essential fatty acid status in a companion animal comprising feeding said animal a diet including omega-6 and omega-3 fatty acids, wherein the ratio of said omega-6 fatty acids to said omega-3 fatty acids is from about 3.5:1 to about 12.5:1.
- 15. The process of claim 14 wherein said animal is a dog.
- 16. The process of claim 14 wherein said animal is a cat.
- 17. A process for maintaining litter size through subsequent parities of a companion animal comprising feeding said animal a diet including omega-6 and omega-3 fatty acids, wherein the ratio of said omega-6 fatty acids to said omega-3 fatty acids is from about 3.5:1 to about 12.5:1.
- 18. A process for increasing live births through subsequent parities of a companion animal comprising feeding said animal a diet including omega-6 and omega-3 fatty acids, wherein the ratio of said omega-6 fatty acids to said omega-3 fatty acids is from about 3.5:1 to about 12.5:1.

19. A process for decreasing still births through subsequent parities of a companion animal comprising feeding said animal a diet including omega-6 and omega-3 fatty acids, wherein the ratio of said omega-6 fatty acids to said omega-3 fatty acids is from about 3.5:1 to about 12.5:1.